



Price List
Consumable Pneumatics
W.e.f. - 01.01.2022



SPAC



CONTENTS

Connections

Push In Fitting-A Series.....1-3

Push In Fitting-E Series..... 4-7

Polyurethane Pipe Series.....8-10

Recoils With Connector Series.....11

Anti Spark PU Tube Series.....12


Nylon Tube EA Series.....13

Silencer & Air Blow Gun.....14

S-Series Fitting.....15-16

SC Tubing Fitting.....17

SC Tubing Recoils.....18








PUSH IN FITTINGS A- SERIES

CONNECTION

OPERATING PRESSURE : 0-10kgf/cm²
 OPERATING TEMPERATURE RANGE : -5⁰ c to 60⁰ c
 MAX. PRESSURE : 15.3kgf / cm²
 FLUID TYPE : Air , Vacuum
 TUBE MATERIAL : Polyurethane, Nylon

TUBE OD	G THREAD	
Ø4	M5	M5X0.8
Ø6	01	1/8"
Ø8	02	1/4"
Ø10	03	3/8"
Ø12	04	1/2"



	STRAIGHT CONNECTOR	ELBOW CONNECTOR	"TEE" CONNECTOR	MALE BRANCH "YEE"	FEMALE CONNECTOR
					
SIZE	APCG	APLG	APBG	APXG	APCF
4-M5	66	74	137	138	92
04-01	64	67	109	123	86
04-02	67	73	119	133	106
6-M5	72	81	136	136	92
06-01	60	78	129	133	86
06-02	63	91	131	137	104
06-03	96	120	144	152	159
06-04	149	156	212	224	209
08-01	64	94	119	145	114
08-02	63	98	127	148	131
08-03	96	107	165	188	176
08-04	156	162	218	227	222
10-01	99	127	144	163	148
10-02	105	131	152	184	152
10-03	109	145	169	204	176
10-04	159	176	227	229	234
12-01	129	152	211	218	192
12-02	127	152	212	218	204
12-03	133	163	227	241	224
12-04	149	184	247	261	294

*Tailor Made / Mini Fitting also available on request.






PUSH IN FITTINGS A- SERIES

CONNECTION

OPERATING PRESSURE : 0-10kgf/cm²
 OPERATING TEMPERATURE RANGE : -5⁰ c to 60⁰ c
 MAX. PRESSURE : 15.3kgf / cm²
 FLUID TYPE : Air , Vacuum
 TUBE MATERIAL : Polyurethane, Nylon

TUBE OD	G THREAD	
Ø4	M5	M5X0.8
Ø6	01	1/8"
Ø8	02	1/4"
Ø10	03	3/8"
Ø12	04	1/2"












	FLOW CONTROL VALVE	MALE RUN " TEE"	EQUAL CROSS CONNECTOR	EQUAL MULTI TEE CONNECTOR	FEMALE ELBOW CONNECTOR
					
SIZE	ASLG	APDG	APZG	APKBG	APLF [®]
4-M5	247	146			119
4-01	267	123	216	247	116
4-02	267	130	232	267	137
6-M5	244	145	243	277	107
6-01	340	140	294	332	113
6-02	340	145	330	367	130
6-03	384	157	336	381	184
6-04	490	232	414	474	255
8-01	299	131	330	373	131
8-02	319	139	379	422	144
8-03	384	179	435	487	208
8-04	490	241	506	578	274
10-01	384	157	472	538	177
10-02	405	171	489	558	188
10-03	490	181	506	576	241
10-04	490	250	579	660	300
12-01		232	506	576	276
12-02	446	232	553	627	277
12-03	490	250	596	681	330
12-04	490	276	649	742	356





*Tailor Made / Mini Fitting also available on request.

PUSH IN FITTINGS A- SERIES

CONNECTION

	BLANKING PLUG	EQUAL "TEE"	EQUAL "Y"	EQUAL ELBOW
				
SIZE	APP	APE	APY	APV
4		53	59	39
6	28	59	63	47
8	40	68	68	52
10	40	79	90	54
12	42	101	103	70

	BLUNK HEAD	EQUAL TUBE TO TUBE	EQUAL MULTY " TEE"	EQUAL " CROSS"	DEAD PLUG
					
SIZE	APM	APU	APK	APZA	APUB
4	133	34			
6	144	41	275	112	40
8	156	44	326	114	44
10	189	54	366	160	63
12	222	68	422	176	73

	UNEQUAL "TEE"	UNEQUAL "TEE"	UNEQUAL "Y"	UNEQUAL TUBE TO TUBE
				
	(2B-1S)	(2S-1B)	(2S-1B)	
SIZE	APEG	APEW	APW	APG
6-4	79	79	110	59
8-6	112	112	123	70
10-6	114	114		78
10-8	122	122	131	78
12-8	130	130		92
12-10	136	136	156	92

*Tailor Made / Mini Fitting also available on request.

MADE IN INDIA

For latest technical details please visit our website : www.spacpneumatic.com

GST , Packaging & Forwarding Extra as applicable

PUSH IN FITTINGS E- SERIES

CONNECTION

OPERATING PRESSURE : 0-10kgf/cm²






OPERATING TEMPERATURE RANGE : -5⁰ c to 60⁰ c

MAX. PRESSURE : 15.3kgf / cm²

FLUID TYPE : Air , Vacuum

TUBE MATERIAL : Polyurethane, Nylon

TUBE OD	R-THREAD	
Ø4	M5	M5X0.8
Ø6	01	1/8"
Ø8	02	1/4"
Ø10	03	3/8"
Ø12	04	1/2"

	MALE CONNECTOR	MALE ELBOW	MALE BRANCH "TEE"	MALE RUN "TEE"	MALE BRANCH "Y"
					
SIZE	EPC	EPL	EPB	EPD	EPX
4-M5	57	65	117	125	119
4-01	54	59	96	105	105
4-02	59	67	103	112	114
6-M5	63	67	116	124	116
6-01	51	59	112	123	114
6-02	54	67	114	125	117
6-03	83	91	124	137	130
6-04	129	138	184	202	195
8-01	54	64	104	114	124
8-02	54	67	109	120	127
8-03	83	86	140	156	162
8-04	133	140	189	209	198
10-01	96	103	124	137	139
10-02	98	107	131	146	159
10-03	105	116	144	157	176
10-04	152	151	195	216	198
12-01	123	130	181	202	189
12-02	119	130	184	202	189
12-03	127	136	195	214	209
12-04	140	152	212	236	227
14-02	268	287	342	381	
14-03	278	299	352	391	
14-04	294	310	381	422	
16-02	275	287	342	381	
16-03	278	299	352	391	
16-04	293	310	381	422	

*Tailor Made / Mini Fitting also available on request.






MADE IN INDIA

For latest technical details please visit our website : www.spacpneumatic.com

GST , Packaging & Forwarding Extra as applicable

PUSH IN FITTINGS E- SERIES

CONNECTION

	FLOW CONTROL VALVE	FEMALE CONNECTOR	FEMALE ELBOW CONNECTOR	EQUAL CROSS CONNECTOR	HAND VALVE
					
SIZE	ESL	EPCF	EPLF	EPZ	EHVFS
4-M5	204	80	104		
4-01	221	74	99	197	
4-02	221	91	117	212	
6-M5	202	80	92	219	
6-01	282	74	97	266	529
6-02	282	87	112	299	563
6-03	317	138	168	306	
6-04	405	192	227	342	
8-01	247	98	114	299	635
8-02	263	113	123	341	690
8-03	317	157	178	393	
8-04	405	211	235	457	
10-01	317	127	152	425	
10-02	335	130	162	441	
10-03	405	170	209	457	
10-04	405	219	261	525	
12-01		176	247	457	
12-02	371	176	247	500	
12-03	405	195	287	539	
12-04	405	255	308	585	
14-02		275			
14-03		293			
14-04		335			
16-02		290			
16-03		315			
16-04		359			

*Tailor Made / Mini Fitting also available on request.

For latest technical details please visit our website : www.spacpneumatic.com

MADE IN INDIA

GST , Packaging & Forwarding Extra as applicable

PUSH IN FITTINGS E- SERIES


CONNECTION

BANJOW ELBOW

BANJOW ELBOX 2X

BANJOW ELBOW 3X

EQUAL MULTI TEE









SIZE	EPH	EPH2X	EPH3X	EPKB
4-M5	146			
4-01	138	261	349	214
4-02	152	366	366	232
6-M5	155			238
6-01	148	284	422	287
6-02	160	308	454	317
6-03	211	406	511	332
6-04				412
8-01	224	422	537	325
8-02	224	422	537	366
8-03	284	527	795	421
8-04	406	763	877	500
10-01				465
10-02	284	519	795	484
10-03	316	610	877	498
10-04	406	787	910	571
12-01				498
12-02	341	649	813	544
12-03	406	780	877	590
12-04	454	893	942	643






*Tailor Made / Mini Fitting also available on request.





For latest technical details please visit our website : www.spacpneumatic.com

PUSH IN FITTINGS E- SERIES

CONNECTION

	BLANKING PLUG	EQUAL "TEE"	EQUAL "Y"	EQUAL ELBOW	EQUAL TUBE TO TUBE	DEAD PLUG
						
SIZE	EPP	EPE	EPY	EPV	EPU	EPUB
04		47	52	33	32	
06	22	52	52	40	34	34
08	27	58	58	44	38	39
10	33	70	74	50	48	52
12	38	89	90	59	58	71
14		201		124	123	92
16		222		143	143	113

	EQUAL MULTI "TEE"	EQUAL "CROSS"	FLOW CONTROL INLINE	HAND VALVE	BULK HEAD
					
SIZE	EPK	EPZA	ESA	EHVFF	EPM
04					114
06	237	94		603	124
08	283	99		636	133
10	328	136		752	163
12	381	153		913	192

	UNEQUAL "TEE"	UNEQUAL "TEE"	UNEQUAL TUBE TO TUBE	UNEQUAL "Y"
				
	(2B-1S)	(2S-1B)		(2S-1B)
SIZE	EPEG	EPEW	EPG	EPW
6-4	71	71	52	96
8-6	96	96	63	112
10-6	99	99	70	
10-8	104	104	70	119
12-8	112	112	83	
12-10	124	124	83	142
16-14			182	
16-12			194	

*Tailor Made / Mini Fitting also available on request.

MADE IN INDIA


For latest technical details please visit our website : www.spacpneumatic.com

GST , Packaging & Forwarding Extra as applicable


POLYURETHANE PIPE SPAC SERIES

CONNECTION

OPERATING PRESSURE : 0-10kgf/cm²
 OPERATING TEMPERATURE RANGE : -5⁰ c to 60⁰ c
 BURST PRESSURE : 25kgf / cm²
 FLUID TYPE : Air , Water



ITEM CODE	OD X ID	LENGTH	COLOUR	U.PRICE
EU0425-200M	4X2.5	200 MTR	BLUE / YELLOW	3745
EU0425-100M	4X2.5	100 MTR	BLUE / YELLOW	1873
EU0640-100M	6X4.0	100 MTR	BLUE / YELLOW	2810
EU0640-500M	6X4.0	500 MTR	BLUE / YELLOW	13264
EU0850-100M	8X5.0	100 MTR	BLUE / YELLOW	5306
EU0850-500M	8X5.0	500 MTR	BLUE / YELLOW	26139
EU0855-100M	8X5.5	100 MTR	BLUE / YELLOW	4994
EU0855-500M	8X5.5	500 MTR	BLUE / YELLOW	24579
EU0855-1000M	8X5.5	1000 MTR	BLUE / YELLOW	48378
EU0860-100M	8X6.0	100 MTR	BLUE / YELLOW	4214
EU0860-500M	8X6.0	500 MTR	BLUE / YELLOW	20678
EU0860-1000M	8X6.0	1000 MTR	BLUE / YELLOW	40574
EU1065-100M	10X6.5	100 MTR	BLUE / YELLOW	8271
EU1065-500M	10X6.5	500 MTR	BLUE / YELLOW	40965
EU1080-100M	10X8.0	100 MTR	BLUE	6555
EU1080-500M	10X8.0	500 MTR	BLUE	31991
EU1280-100M	12X8.0	100 MTR	BLUE / YELLOW	10456
EU1280-500M	12X8.0	500 MTR	BLUE / YELLOW	51499
EU1410-50M	14X10	50 MTR	BLUE / YELLOW	8505
EU1612-50M	16X12	50 MTR	BLUE / YELLOW	8818
EU0425-100M	4X2.5	100 MTR	BLACK /GREEN /RED /TRANSPARENT	2028
EU0640-100M	6X4	100 MTR	BLACK /GREEN /RED /TRANSPARENT	2965
EU0850-100M	8X5.0	100 MTR	BLACK /GREEN /RED /TRANSPARENT	5462
EU0855-100M	8X5.5	100 MTR	BLACK /GREEN /RED /TRANSPARENT	5306
EU0860-100M	8X6.0	100 MTR	BLACK /GREEN /RED /TRANSPARENT	4370
EU1065-100M	10X6.5	100 MTR	BLACK /GREEN /RED /TRANSPARENT	8739



*Tailor Made / Mini Fitting also available on request.

For latest technical details please visit our website : www.spacpneumatic.com


MADE IN INDIA

GST , Packaging & Forwarding Extra as applicable


POLYURETHANE PIPE SPAC SERIES

CONNECTION

OPERATING PRESSURE : 0-10kgf/cm²
 OPERATING TEMPERATURE RANGE : -5⁰ c to 60⁰ c
 BURST PRESSURE : 25kgf / cm²
 FLUID TYPE : Air , Water



ITEM CODE	LENGTH		COLOUR	U.PRICE
EU1280-100M	12X8.0	100 MTR	BLACK /GREEN /RED /TRANSPARENT	11080
EU1410-50M	14X10	50 MTR	BLACK /GREEN /RED /TRANSPARENT	8895
EU1612-50M	16X12	50 MTR	BLACK /GREEN /RED /TRANSPARENT	9285
EU0425-100M	4X2.5	100MTR	CLEAR BLUE / CLEAR RED	2185
EU0640-100M	6X4.0	100 MTR	CLEAR BLUE / CLEAR RED	3121
EU0850-100M	8X5.0	100 MTR	CLEAR BLUE / CLEAR RED	5931
EU0855-100M	8X5.5	100 MTR	CLEAR BLUE / CLEAR RED	5462
EU0860-100M	8X6.0	100 MTR	CLEAR BLUE / CLEAR RED	4682
EU1065-100M	10X6.5	100 MTR	CLEAR BLUE / CLEAR RED	9052
EU1280-100M	12X8.0	100 MTR	CLEAR BLUE / CLEAR RED	11704
EU0640-100M	6X4.0	100 MTR	MILKY WHITE	3277
EU0855-100M	8X5.5	100 MTR	MILKY WHITE	5774
EU1065-100M	10X6.5	100 MTR	MILKY WHITE	9507
EU1280-100M	12X8.0	100 MTR	MILKY WHITE	12329



*Tailor Made / Mini Fitting also available on request.

For latest technical details please visit our website : www.spacpneumatic.com


MADE IN INDIA

GST , Packaging & Forwarding Extra as applicable

POLYURETHANE PIPE SPAC SERIES

CONNECTION

OPERATING PRESSURE : 0-10kgf/cm²
 OPERATING TEMPERATURE RANGE : -5⁰ c to 60⁰ c
 BURST PRESSURE : 25kgf / cm²
 FLUID TYPE : Air , Water



ITEM CODE	SIZE	LENGTH	COLOUR	U.PRICE	
EUC0640-3	6X4.0	3 MTR	BLUE / YELLOW	170	
EUC0640-5		5 MTR	BLUE / YELLOW	271	
EUC0640-10		10 MTR	BLUE / YELLOW	544	
EUC0640-15		15 MTR	BLUE / YELLOW	807	
EUC0850-3	8X5.0	3 MTR	BLUE / YELLOW	238	
EUC0850-5		5 MTR	BLUE / YELLOW	388	
EUC0850-10		10 MTR	BLUE / YELLOW	768	
EUC0850-15		15 MTR	BLUE / YELLOW	1141	
EUC0855-3	8X5.5	3 MTR	BLUE / YELLOW	231	
EUC0855-5		5 MTR	BLUE / YELLOW	368	
EUC0855-10		10 MTR	BLUE / YELLOW	740	
EUC0855-15		15 MTR	BLUE / YELLOW	1101	
EUC1065-3	10X6.5	3 MTR	BLUE / YELLOW	341	
EUC1065-5		5 MTR	BLUE / YELLOW	563	
EUC1065-10		10 MTR	BLUE / YELLOW	1125	
EUC1065-15		15 MTR	BLUE / YELLOW	1690	
EUC1280-3	12X8.0	3 MTR	BLUE / YELLOW	451	
EUC1280-5		5 MTR	BLUE / YELLOW	747	
EUC1280-10		10 MTR	BLUE / YELLOW	1494	
EUC1280-15		15 MTR	BLUE / YELLOW	2237	
EUC1612-3	16X12.0	3 MTR	BLUE / YELLOW	645	
EUC1612-5		5 MTR	BLUE / YELLOW	1070	
EUC1612-10		10 MTR	BLUE / YELLOW	2141	
EUC1612-15		15 MTR	BLUE / YELLOW	3228	
TUC-01	TYPE : TUBE CUTTER			346	



*Tailor Made / Mini Fitting also available on request.

For latest technical details please visit our website : www.spacpneumatic.com


MADE IN INDIA

GST , Packaging & Forwarding Extra as applicable


RECOILS WITH CONNECTOR SPAC SERIES

CONNECTION

OPERATING PRESSURE : 0-10kgf/cm²
OPERATING TEMPERATURE RANGE : -5⁰ c to 60⁰ c



ITEM CODE	SIZE	LENGTH	COLOUR	U.PRICE
EUC0850C-3-G02	G 1/4"	3 MTR	BLUE / YELLOW	876
EUC0850C-5-G02	G 1/4"	5 MTR	BLUE / YELLOW	1038
EUC0850C-10-G02	G 1/4"	10 MTR	BLUE / YELLOW	1449
EUC0850C-15-G02	G 1/4"	15 MTR	BLUE / YELLOW	1855
EUC1065C-3-G02	G 1/4"	3 MTR	BLUE / YELLOW	1075
EUC1065C-5-G02	G 1/4"	5 MTR	BLUE / YELLOW	1318
EUC1065C-10-G02	G 1/4"	10 MTR	BLUE / YELLOW	1928
EUC1065C-15-G02	G 1/4"	15 MTR	BLUE / YELLOW	2542
EUC1280C-3-G03	G 3/8"	3 MTR	BLUE / YELLOW	1310
EUC1280C-5-G03	G 3/8"	5 MTR	BLUE / YELLOW	1631
EUC1280C-10-G03	G 3/8"	10 MTR	BLUE / YELLOW	2443
EUC1280C-15-G03	G 3/8"	15 MTR	BLUE / YELLOW	3253



FEATURES:

- Swivel Connector
- Quick Installation
- Easy Gripping



*Tailor Made / Mini Fitting also available on request.

For latest technical details please visit our website : www.spacpneumatic.com

MADE IN INDIA


GST , Packaging & Forwarding Extra as applicable

ANTI SPARK PU TUBE SPAC SERIES


CONNECTION

OPERATING PRESSURE : 0-10kgf/cm²
OPERATING TEMPERATURE RANGE : -5⁰ c to 60⁰ c

ITEM CODE	SIZE	ROLL SIZE	COLOUR CODE	U.PRICE
AU064008-50M	6X4X8	50 MTR	RED / BLACK / BLUE / GREEN / YELLOW	9198
AU085010-50M	8X5X10	50 MTR	RED / BLACK / BLUE / GREEN / YELLOW	12370
AU106512-50M	10X6.5X12	50 MTR	RED / BLACK / BLUE / GREEN / YELLOW	18873
AU128014-50M	12X8X14	50 MTR	RED	33066



ITEM CODE	SIZE	LENGTH	COLOUR CODE	U.PRICE
AUC064008	6X4X8	5 MTR	RED	1115
AUC064008	6X4X8	10 MTR	RED	2235
AUC064008	6X4X8	15 MTR	RED	3332
AUC085010	8X5X10	5 MTR	RED	1434
AUC085010	8X5X10	10 MTR	RED	2854
AUC085010	8X5X10	15 MTR	RED	4260
AUC106512	10X6.5X12	5 MTR	RED	2106
AUC106512	10X6.5X12	10 MTR	RED	4210
AUC106512	10X6.5X12	15 MTR	RED	6318
AUC120814	12X8X12	5 MTR	RED	3634
AUC120814	12X8X12	10 MTR	RED	7274
AUC120814	12X8X12	15 MTR	RED	10910



FEATURES:

- Suitable for welding applications
- Works in high temperature conditions
- Resistant to spark and welding slag
- Anti-abrasive properties
- Outer layer is fire resistant
- External layer can be easily removed for use with one-touch fittings using the appropriate tool
- Bursting pressure >30bar

*Tailor Made / Mini Fitting also available on request.

For latest technical details please visit our website : www.spacpneumatic.com

MADE IN INDIA

GST , Packaging & Forwarding Extra as applicable

NYLON TUBE EA SERIES

CONNECTION

OPERATING PRESSURE : 0-10kgf/cm²


OPERATING TEMPERATURE RANGE : -5⁰ c to 60⁰ c

ITEM CODE	OD X ID	ROLL SIZE	COLOUR CODE	U. PRICE
EA0425-100M	4X2.5	100 MTR	MILKY WHITE	1755
EA0640-100M	6X4.0	100 MTR	MILKY WHITE	2713
EA0860-100M	8X6.0	100 MTR	MILKY WHITE	4150
EA1080-100M	10X8.0	100 MTR	MILKY WHITE	7661
EA1290-50M	12X9.0	50 MTR	MILKY WHITE	5107
EA0425-100M	4X2.5	100 MTR	BLACK	1672
EA0640-100M	6X4.0	100 MTR	BLACK	2584
EA0860-100M	8X6.0	100 MTR	BLACK	3952
EA1080-100M	10X8.0	100 MTR	BLACK	7295
EA1290-50M	12X9.0	50 MTR	BLACK	4864



MINI FITTINGS

ITEM CODE	TUBE OD	THREAD SIZE	U. PRICE
MI-EPOC4-M5-SPAC	4	M5	93
MI-EPOC6-M5-SPAC	6	M5	98
MI-EPOC6-01-SPAC	6	1/8"	116
MI-EPOC4-01-SPAC	4	1/8"	116
MI-EPL6-M5-SPAC	6	M5	105
MI-EPL4-M5-SPAC	4	M5	100
MI-EPL4-01-SPAC	4	1/8"	116
MI-EPL6-01-SPAC	6	1/8"	129
MI-VPC6-M5-SPAC	6	M5	71
MI-VPC4-M5-SPAC	4	M5	61
MI-VPL4-M5-SPAC	4	M5	110
MI-VPL6-M5-SPAC	6	M5	117



*Tailor Made / Mini Fitting also available on request.

For latest technical details please visit our website : www.spacpneumatic.com

MADE IN INDIA

GST , Packaging & Forwarding Extra as applicable

SILENCER & AIR BLOW GUN

CONNECTION

OPERATING PRESSURE : 0-10kgf/cm²

OPERATING TEMPERATURE RANGE : -5⁰ c to 60⁰ c

ITEM CODE	SIZE	ITEM DESCRIPTION	U. PRICE	
BSL-M5	M5	TYPE : METAL SILENCER	34	
BSL-01	1/8"		38	
BSL-02	1/4"		59	
BSL-03	3/8"		110	
BSL-04	1/2"		151	
BSL-06	3/4"		359	
BESL-01	1/8"	TYPE : SILENCER WITH FLOW CONTROL	144	
BESL-02	1/4"		189	
BESL-03	3/8"		300	
BESL-04	1/2"		478	
BSLM-01	1/8"	TYPE : MINI METAL SILENCER	47	
BSLM-02	1/4"		67	
BSLM-03	3/8"		89	
BSLM-04	1/2"		132	
BSLM-06	3/4"		339	
PSU-01	1/8"	TYPE : PLASTIC SILENCER	70	
PSU-02	1/4"		84	
PSU-03	3/8"		124	
PSU-04	1/2"		209	
EAG-M	1/4"	TYPE : METAL AIR GUN	1191	
SAG-SN	1/4"	TYPE : AIR GUN (WITH SHORT NOZZLE)	451	
SAG-MN		TYPE : AIR GUN (WITH SMALL ROD)	497	
SAG-AM	1/4"	AIR GUN WITH STRAIGHT NOZZLE	354	
SAG-BM	1/4"	AIR GUN WITH ANGLED NOZZLE	401	

*Tailor Made / Mini Fitting also available on request.

For latest technical details please visit our website : www.spacpneumatic.com

MADE IN INDIA

GST , Packaging & Forwarding Extra as applicable

S- SERIES FITTINGS

CONNECTION





OPERATING PRESSURE : 0-5kgf/cm²





FLUID TYPE : Air

OPERATING TEMPERATURE RANGE : -0° c to 60° c

TUBE MATERIAL : PU

MAX. PRESSURE : 8k gf / cm²

	MALE CONNECTOR		MALE ELBOW		MALE BRANCH "TEE"		MALE BRANCH "YEE"	
								
SIZE	SPC	MOQ	SPL	MOQ	SPB	MOQ	SPX	MOQ
6-01	27	100	41	50	64	25	81	25
6-02	27	100	44	50	64	25	84	25
6-03	52	25	54	10	87	10	91	10
6-04	87	25	90	10	112	10	120	10
8-01	27	100	44	50	64	25	84	25
8-02	27	100	44	50	64	25	84	25
8-03	47	25	57	10	100	10	107	10
8-04	73	25	90	10	118	5	129	10
10-01	60	5	65	5	89	20	97	5
10-02	47	50	70	25	91	10	106	20
10-03	51	25	73	10	98	10	112	10
10-04	72	25	91	10	117	20	139	10
12-02	63	50	85	25	120	10	125	20
12-03	65	25	90	10	127	10	144	10
12-04	72	25	91	10	129	10	152	10

	FLOW CONTROL VALVE		FEMALE CONNECTOR		MALE RUN " TEE"		FEMALE ELBOW	
								
SIZE	SSL	MOQ	SPCF	MOQ	SPD	MOQ	SPLF	MOQ
6-01	251	10	58	25	79	5	85	5
6-02	251	10	64	25	85	5	98	5
6-03	283	10	119	5	93	5	148	5
6-04	361	10	165	5	123	5	197	5
8-01	219	10	64	25	79	5	100	5
8-02	236	10	66	25	84	5	109	5
8-03	283	10	136	5	110	5	157	5
8-04	362	10	183	5	132	5	205	5
10-01	283	10	111	5	93	5	135	5
10-02	300	10	81	10	100	5	144	5
10-03	361	10			107	5	182	5
10-04	361	10	137	10	138	5	225	5
12-02	332	10	135	10	133	5	218	5
12-03	361	10			138	5	254	5
12-04	361	10	150	10	142	5	269	5

*Tailor Made / Mini Fitting also available on request.

MADE IN INDIA

For latest technical details please visit our website : www.spacpneumatic.com

GST , Packaging & Forwarding Extra as applicable

EQUAL TUBE TO TUBE

EQUAL "TEE"

EQUAL "YEE"



SIZE	SPU	MOQ	SPE	MOQ	SPY	MOQ
6	21	100	33	50	37	50
8	25	100	37	50	41	50
10	30	75	47	50	54	50
12	33	75	54	50	65	50

EQUAL ELBOW

BULK HEAD

EQUAL " CROSS"

EQUAL MULTI " TEE"



SIZE	SPV	MOQ	SPM	MOQ	SPZA	MOQ	SPK	MOQ
6	25	100	100	2	79	5	189	5
8	30	100	106	2	81	5	230	5
10	34	50	129	2	112	5	257	5
12	44	50	152	2	125	5	299	5

UNEQUAL "TEE"

UNEQUAL "Y"

UNEQUAL TUBE TO TUBE



SIZE	SPEG	MOQ	SPW	MOQ	SPG	MOQ
8-06	79	2	89	2	48	2
10-06	81	2			53	2
10-08	85	2	93	2	53	2
12-08	91	2			65	2
12-10	104	2	110	2	65	2

*Tailor Made / Mini Fitting also available on request.

SC TUBING

CONNECTION

OPERATING PRESSURE : 0 - 8
 OPERATING TEMPERATURE RANGE : -5⁰ c to 60⁰ c
 FLUID TYPE : Air

ITEM CODE	OD X ID	ROLL SIZE	COLOUR	U.PRICE
SC0425-100M	4X2.5	100MTR	BLUE / YELLOW	1639
SC0640-100M	6X4	100MTR	BLUE / YELLOW	2622
SC0640-500M	6X4	500MTR	BLUE / YELLOW	12484
SC0850-100M	8X5	100MTR	BLUE / YELLOW	4752
SC0850-500M	8X5	500MTR	BLUE / YELLOW	23409
SC0855-100M	8X5.5	100MTR	BLUE / YELLOW	4588
SC0855-500M	8X5.5	500MTR	BLUE / YELLOW	22628
SC0855-1000M	8X5.5	1000MTR	BLUE / YELLOW	44866
SC0860-100M	8X6	100MTR	BLUE / YELLOW	3933
SC0860-500M	8X6	500MTR	BLUE / YELLOW	19507
SC0860-1000M	8X6	1000MTR	BLUE / YELLOW	38233
SC1065-100M	10X6.5	100MTR	BLUE / YELLOW	7701
SC1065-500M	10X6.5	500MTR	BLUE / YELLOW	38233
SC1070-100M	10X7	100MTR	BLUE / YELLOW	7046
SC1070-500M	10X7	500MTR	BLUE / YELLOW	35112
SC1080-100M	10X8	100MTR	BLUE / YELLOW	6063
SC1080-500M	10X8	500MTR	BLUE / YELLOW	29651
SC1280-100M	12X8	100MTR	BLUE / YELLOW	9996
SC1280-500M	12X8	500MTR	BLUE / YELLOW	49782
SC1290-100M	12X9	100MTR	BLUE / YELLOW	9668
SC1290-500M	12X9	500MTR	BLUE / YELLOW	47596
SC1410-50M	14X10	50MTR	BLUE / YELLOW	7948
SC1612-50M	16X12	50MTR	BLUE / YELLOW	8194
SC0425-100M	4X2.5	100MTR	TRANSPARENT	1802
SC0640-100M	6X4	100MTR	TRANSPARENT	2786
SC0850-100M	8X5	100MTR	TRANSPARENT	5079
SC0855-100M	8X5.5	100MTR	TRANSPARENT	4916
SC0860-100M	8X6	100MTR	TRANSPARENT	4261
SC1065-100M	10X6.5	100MTR	TRANSPARENT	8194
SC1070-100M	10X7	100MTR	TRANSPARENT	7538
SC1080-100M	10X8	100MTR	TRANSPARENT	6390
SC1280-100M	12X8	100MTR	TRANSPARENT	10651
SC1290-100M	12X9	100MTR	TRANSPARENT	9676
SC1410-50M	14X10	50MTR	TRANSPARENT	8357
SC1612-50M	16X12	50MTR	TRANSPARENT	8603

*Tailor Made / Mini Fitting also available on request.

MADE IN INDIA

For latest technical details please visit our website : www.spacpneumatic.com

GST , Packaging & Forwarding Extra as applicable

SC TUBING

CONNECTION

OPERATING PRESSURE : 0 - 8
 OPERATING TEMPERATURE RANGE : -5^o c to 60^o c
 FLUID TYPE : Air

ITEM CODE	SIZE	LENGTH	COLOUR CODE	U.PRICE
SCC0640-3	6X4	3 MTR	BLUE / YELLOW	156
SCC0640-5		5 MTR	BLUE / YELLOW	258
SCC0640-10		10 MTR	BLUE / YELLOW	342
SCC0640-15		15 MTR	BLUE / YELLOW	472
SCC0850-3	8X5	3 MTR	BLUE / YELLOW	223
SCC0850-5		5 MTR	BLUE / YELLOW	371
SCC0850-10		10 MTR	BLUE / YELLOW	730
SCC0850-15		15 MTR	BLUE / YELLOW	1084
SCC0855-3	8X5.5	3 MTR	BLUE / YELLOW	210
SCC0855-5		5 MTR	BLUE / YELLOW	352
SCC0855-10		10 MTR	BLUE / YELLOW	703
SCC0855-15		15 MTR	BLUE / YELLOW	1055
SCC1065-3	10X6.5	3 MTR	BLUE / YELLOW	320
SCC1065-5		5 MTR	BLUE / YELLOW	533
SCC1065-10		10 MTR	BLUE / YELLOW	1066
SCC1065-15		15 MTR	BLUE / YELLOW	1600
SCC1280-3	12X8	3 MTR	BLUE / YELLOW	428
SCC1280-5		5 MTR	BLUE / YELLOW	716
SCC1280-10		10 MTR	BLUE / YELLOW	1433
SCC1280-15		15 MTR	BLUE / YELLOW	2069
SCC1612-3	16X12	3 MTR	BLUE / YELLOW	612
SCC1612-5		5 MTR	BLUE / YELLOW	1003
SCC1612-10		10 MTR	BLUE / YELLOW	2006
SCC1612-15		15 MTR	BLUE / YELLOW	3023

*Tailor Made / Mini Fitting also available on request.

For latest technical details please visit our website : www.spacpneumatic.com

MADE IN INDIA

GST , Packaging & Forwarding Extra as applicable

Notes



TERMS AND CONDITIONS OF SUPPLY

- **GENERAL**

All sales, deliveries and services from and by Shree Prayag Air Controls (P) Ltd (SPAC) shall be governed exclusively by the following terms and conditions and no deviation from these conditions, except those accepted in writing, shall be binding on SPAC. It is clearly understood that, by placing an order with us, the customer is deemed: To have accepted our conditions and have waived off their conditions of purchase, if any, conflicting with that of ours.

- **QUOTATION**

The quotation is valid for a period of thirty days unless extended by SPAC in writing. SPAC reserves the right to alter the material, design and weight to be in conformity with the technical specifications. Any apparent or non-apparent change in color, design or weight shall not give rise to any claim for compensation by the customer and will not create any obligation on part of SPAC.

- **PRICE**

Price quoted is ex-works Noida. The prices do not include packing, freight charges, insurance, taxes, other levies which are as below: Goods and Services Tax: As applicable at the time of delivery. Freight Charges: All goods shall be dispatched on "Freight to pay" basis. However, if small consignments are sent through RPP or Courier, such charges will have to be prepaid. All other Taxes and levies shall be borne by the purchaser. Prices and terms are subject to change without any notice. The price prevailing at the time of dispatch will apply.

- **MODE OF DISPATCH**

Unless otherwise specified, goods shall be dispatched by RPP or by road / lorry only. Dispatches by courier will be made if requested by the client only on advance payment of courier charges. However, SPAC shall bear no responsibility for the quality of such services E-Way Bill (Road Permit) will be applicable as per Goods and Services Tax Act. Under no circumstances, Goods shall be dispatched without E-Way Bill (Road Permit). Any loss occurred to the customer for non-providing or any wrong information, intentional or unintentional given by the customer for the E-Way Bill (Road Permit) shall be sole responsibility of the customer.

- **DELIVERY TIME**

We shall endeavor to keep the scheduled delivery dates. The delivery period commences from that point of time, when all the technical and commercial details have been agreed between SPAC and the customer and the customer has issued a Purchase Order. If further, some clarifications are required, the delivery period commences from the date of such clarifications reaching SPAC. SPAC shall not be responsible for delays in delivery in case of Forces Majeure events. The unforeseen events include, but are not limited to, labour disputes, wars and up springs, strikes, action by public authorities, act of God and major damage sustained thought the action of water, fire, energy, wind etc. Which releases SPAC from the obligation to adhere to the delivery dates.

- **PAYMENTS**

Unless otherwise agreed in writing by SPAC, payment shall be made by the way of Bankers' Cheque / Demand Draft payable at Delhi / Noida. All the bank charges shall be borne by the customer. The amount invoiced has to be paid within the due date as per the agreed credit terms mentioned on the invoice after which an interest @ 18% pa. shall be charged.

- **WARRANTY**

SPAC warrants the equipment's sold to be free from defect in material and workmanship. SPAC shall repair the goods found to be defective in material and workmanship without any charges. However, any transportation or freight charges for return or dispatch of material shall be borne by the customer. SPAC shall not be obligated, However, to repair the goods which has been repaired by other, abused, improperly installed, altered, or otherwise misused or damaged in any way. SPAC will not be responsible for dismantling, re-assembling or reinstallation charges of the goods at the customer's premises. This warranty is in lieu of all other warranties, expressed or implied. SPAC shall not be liable for any special, indirect, incidental or consequential damages borne by the customer including damages claimed in connection with any recession of this agreement by purchaser.

- **CLAIMS FOR COMPENSATION FOR DAMAGES**

Under no circumstances SPAC shall be responsible for penalties of any nature in case of delayed supply. SPAC shall also not be liable for damages measured by loss of profit or product or consequential damages of any nature resulting wholly or partly from defect in goods, delay in delivery, negligence, mistake or misrepresentation.

- **RETURN POLICY**

SPAC provides quality products and in case of dissatisfaction or any other issue customer can return the material within 30 days from invoice date.

- **PLACE OF JURISDICTION**

Law of land of India shall be applicable in case of dispute. The place of fulfillment of obligations shall be Noida, Distt. Gautam Budh Nagar, UP. The place of jurisdiction for all dispute shall be Noida and all suits by or against us shall be filed in the Courts situated at Noida, Distt. Gautam Budh Nagar, U.P exclusively.

Note: All product's pictures are indicative and might differ from the actual products.

