




Delight
EN334 SIZE-L
CE 3131
MPU12-B



GK FML

ایس

Hi-WIDE

19 MM

5m

65mm

ایس







TIG COLLET
COPPER 3.0 MM
10PCS





TIG COLLET
COPPER 3.0 MM
10PCS

















KRANTI

H-B 000000 m³

Qn: 15m³/h
PN: 16bar
ISO 4064
50 °C

IP 68

Class-B
Magnetic

CE

KRANTI

EM. WATER METERS

Mfrs Date & Year

SIZE: 150mm DN0



Belanto

555555

DN 150mm
DN 150mm
ISO 4064
25 °C
Class-B
magnetic

IP55

Belanto

B.M. WATER METERS



KRANTI[®]
WATER METER
AN ISO 9001:2008 & 14001:2004 CO.

CLASS - A

MODEL : KAM-G

SIZE : 25 MM

QTY: 1





09/02/2024 13:41





50



JMW Gun Metal FASTENERS

RELIABILITY + PERFORMANCE

OSB



Gun Metal
GATE VALVE
25

Gun Metal
GATE VALVE
25

JMW
Gun Metal
25

GATE VALVE

JMW
Gun Metal
25

JMW
Gun Metal
25

JMW
Gun Metal
32

JMW
Gun Metal
32

DRP
157731

DRP

H

DURABILITY
RELIABILITY • PERFORMANCE
DRP

Gate Valve

GATE VALVE

25

Gun Metal
GATE VALVE

25

JMTW

Gun Metal

JMTW

Gun Metal

JMTW



NEWSWIRE

To give school water
customers regular
& trouble free water
manufacturing that
guaranteed by DRP
+ 12 10

+ 18
per

To
an
deal
DRP
growing
to our class









S



DSI
100

STAR
EQUIPMENT FACTORY, KOLKATA

**PCM
CUTTING
MACHINE**





OLINE CHAIN S

MaLgre

AWESOME

MaLgre






























3622

3621

3621
3622

2411

2413

2413

BINDER-SSS TAPE
BINDER-SSS
BY

MUREX  **Saffire**
Cutting Nozzles



MUREX Saffire
Cutting Nozzles





MODEL: IC-III Trusted Brand in Medical Science

+ HOME FIRST-AID KIT

Prepared for Life's Little Emergencies!

Working Address: info@aesol.com

Customer Care: 1-877-779-5437 • 911 or Ambulance • 108

All items in this First Aid kit are manufactured as per
WHO Guidelines and GMP Certified

Add-On
Safety







Label on the ratchet strap with technical specifications and safety information.

LIFE LINE
YOUR SAFETY



**Mig welding
insulater**
MODEL:pana 500
SPECIFICATION:
UNIT: 10PCS

P80

1.5MM 10PCS



**Mig welding
nozzle**
MODEL: pana 500
SPECIFICATION: 2.0
UNIT: 5PCS

















1/2" x 1/2" x 1/2"
1/4" x 1/4" x 1/4"
1/8" x 1/8" x 1/8"
1/16" x 1/16" x 1/16"



Deer
EIGHT 1/2" BRASS FITTINGS
CONTAINING 15 FITTINGS
PER BAG 1/2" x 1/2" x 1/2"
1/4" x 1/4" x 1/4"
1/8" x 1/8" x 1/8"
1/16" x 1/16" x 1/16"











A close-up photograph of a bright yellow safety helmet. The helmet is positioned on an orange safety vest with reflective white stripes. The helmet's surface is glossy and features several curved ridges for structural reinforcement. On the lower right side of the helmet, there is a black logo consisting of a stylized triangle above the word "KARAM" in a bold, sans-serif font. The background is slightly out of focus, showing more of the orange vest and a dark area in the top left corner.

KARAM

A close-up photograph of a bright yellow, glossy hard hat. The hard hat is the central focus, with its curved surface reflecting light. On the lower front portion of the hard hat, the word 'UDYOGI' is printed in a bold, black, sans-serif font. To the right of the text is a logo consisting of three black chevron-like shapes pointing to the right. In the background, another yellow hard hat is partially visible, and to the left, a person wearing a black and white striped shirt is partially seen. The overall scene suggests a construction or industrial setting.

UDYOGI 



307
● CALENDAR ● THERMO ● DIGITAL CLOCK ●

SAFETY VEST
MAXX
100% POLYESTER
100% REFLECTIVE
100% HIGH VISIBILITY
100% DURABLE
100% COMFORTABLE
100% VERSATILE
100% AFFORDABLE
100% AVAILABLE
100% IN STOCK
100% READY TO SHIP
100% GUARANTEED
100% SATISFACTION
100% MONEY BACK
100% GUARANTEE

MAXX
100% POLYESTER
100% REFLECTIVE
100% HIGH VISIBILITY
100% DURABLE
100% COMFORTABLE
100% VERSATILE
100% AFFORDABLE
100% AVAILABLE
100% IN STOCK
100% READY TO SHIP
100% GUARANTEED
100% SATISFACTION
100% MONEY BACK
100% GUARANTEE







GALIS SAFETY SHOES

SAFETY SHOES











Tungsten Electrodes
for
TIG Welding

10 pieces







CUTTING

25

CATMIG[®] **CO₂**
CONTACT TIP

SIZE: 0.6mm 0.8mm 1.0mm
1.2mm 1.4mm 1.6mm
1.8mm

MATERIAL: E-Cu CuCrZr





INDO
FAB

183226
[Logo]

O₂















WELDING HELMET

STEEL TAPE

Far Reaching RIGID BLADE

FREEMAN'S MEASURES

OK FML

Hi-WIDE

19 MM

5m

↔ 65mm ↔

STEEL TAPE

Far Reaching RIGID BLADE

FREE **PIECES**



Hi-16
3.3 m
53mm
OK PMA



Protection

EYE WEAR



LECTION
BOOK



FREEMAN'S
LIFETIME GUARANTEE
MAX





ARGON

YR-16

YAMATO



YAMATO

- ARGON FLOWMETER
- CO₂ FLOWMETER



+









OXYGEN



two stage

PRABHAS

WELDING ELECTRODE HOLDER

KD-1000

A Quality Product
For INDUSTRIAL USE ONLY

1000 AMPS



- Heat Proof
- Unbreakable
- Heavy Duty

FULLY INSULATED ELECTRODE HOLDER







